





Linear Light

Different Aluminum Profiles combined with wide range of LED sources to provide customized linear lighting solution


Line & Design

SPL lighting Group







Profile : 1715




Profile : 3030




Profile : 3535A




Profile : 9035



Profile : 1707



Profile : 2114 TL




Profile : 3535M




Profile : 5575




Profile : 1602




Profile : 7635




Profile : 5532




Profile : 10235



Profile : 2623



Profile : 4215



Profile : R60

Products Code : Line Light 1707 / 1715




Line Light : Code 1707



Line Light : Code 1715

Light Sources	Power		Luminous		CCT		CRI
	Per Meter		Per Meter		Color Temperature	Color Rendering Index	
Mid-Power	12	Watt	1200	Lumen	3000	Kalvin	
High-Power	24	Watt	2500	Lumen	4000	Kalvin	> 80
High-Efficiency	24	Watt	3500	Lumen	6000	Kalvin	


Standards / CE / ENEC / GS / UL

Powered By : 

Accessories

Fixtures

End Cap



Profile Dimensions

	Width	Height	Length
Line Light 1707	17 mm	7 mm	Per Order
Line Light 1715	17 mm	15 mm	

Material / Profile: Anodized Aluminum / Diffuser: PMMA

Products Code : Line Light 1602 / 2623




Line Light : Code 1602



Line Light : Code 2623

Light Sources	Power		Luminous		CCT		CRI
	Per Meter		Per Meter		Color Temperature		Color Rendering Index
Mid-Power	12	Watt	1200	Lumen	3000	Kalvin	
High-Power	24	Watt	2500	Lumen	4000	Kalvin	> 80
High-Efficiency	24	Watt	3500	Lumen	6000	Kalvin	


Standards / CE / RoHS / REACH / UL

Powered By : 

Accessories

Fixtures

End Cap



Profile Dimensions	Width	Height	Length
Line Light 1602	20 mm	20 mm	Per Order
Line Light 2623	26 mm	23 mm	

Material / Profile: Anodized Aluminum / Diffuser : PMMA

Product Code : Line Light 3030



Line Light : Code 3030

Light Sources	Power		Luminous		CCT		CRI
	Per Meter		Per Meter		Color Temperature	Color Rendering Index	
Mid-Power	12	Watt	1200	Lumen	3000	Kalvin	> 80
	24	Watt	2400	Lumen			
High-Power	24	Watt	2500	Lumen	4000	Kalvin	
	48	Watt	5000	Lumen			
High-Efficiency	24	Watt	3500	Lumen	6000	Kalvin	

Standards / CE / RoHS / ATEX / UL

Powered By: 

Accessories	Fixtures	End Cap
Line Light 3030		

Profile Dimensions	Width	Height	Length
Line Light 3030	30 mm	30 mm	Per Order

Material / Profile: Anodized Aluminum / Diffuser : PMMA

Product Code : Line Light 2114TL



Line Light : Code 2114

Light Sources	Power		Luminous		CCT		CRI
	Per Meter		Per Meter		Color Temperature		Color Rendering Index
Mid-Power	12	Watt	1200	Lumen	3000	Kalvin	
High-Power	24	Watt	2500	Lumen	4000	Kalvin	> 80
High-Efficiency	24	Watt	3500	Lumen	6000	Kalvin	

Standards / CE / RoHS / GS / UL

Powered By : MEAN WELL

Accessories	Fixtures	End Cap
Line Light 2114TL		

Profile Dimensions	Width	Height	Length
Line Light 2114TL	21 mm	14 mm	Per Order

Material / Profile: Anodized Aluminum / Diffuser : PMMA

Product Code : Line Light 4215



Line Light : Code 4215

Light Sources	Power		Luminous		CCT		CRI
	Per Meter		Per Meter		Color Temperature		Color Rendering Index
Mid-Power	12	Watt	1200	Lumen	3000	Kalvin	
High-Power	24	Watt	2500	Lumen	4000	Kalvin	> 80
High-Efficiency	24	Watt	3500	Lumen	6000	Kalvin	

Standards / CE / RoHS / GS / UL

Powered By:

Accessories	Fixtures	End Cap
Line Light 4215		

Profile Dimensions	Width	Height	Length
Line Light 4215	15 mm	42 mm	Per Order


Material / Profile: Anodized Aluminum / Diffuser : PMMA



Products Code : Line Light 3535A / 3535M



Line Light : Code 3535A



Line Light : Code 3535M

Light Sources	Power		Luminous		CCT		CRI
	Per Meter		Per Meter		Color Temperature		
Mid-Power	12	Watt	1200	Lumen	3000	Kalvin	> 80
	24	Watt	2400	Lumen			
High-Power	24	Watt	2500	Lumen	4000	Kalvin	
	48	Watt	5000	Lumen			
High-Efficiency	24	Watt	3500	Lumen	6000	Kalvin	

Standards / CE / ENEC / GS / UL

Powered By : 

Accessories

Fixtures

End Cap




Profile Dimensions	Width	Height	Length
Line Light 3535A	35 mm	35 mm	Per Order
Line Light 3535M	35 mm	35 mm	

Material / Profile: Anodized Aluminum / Diffuser : PMMA


Products Code : Line Light 5532 / 7635 / 9035



Line Light : Code 5532



Line Light : Code 7635



Line Light : Code 9035

Light Sources	Power		Luminous		CCT		CRI
	Per Meter		Per Meter		Color Temperature	Color Rendering Index	
Mid-Power	12	Watt	1200	Lumen	3000	Kalvin	> 80
	24	Watt	2400	Lumen			
High-Power	24	Watt	2500	Lumen	4000	Kalvin	
	48	Watt	5000	Lumen			
High-Efficiency	24	Watt	3500	Lumen	6000	Kalvin	
	48	Watt	7000	Lumen			

Standards / CE / RoHS / A-GS / UL

Powered By: 

Accessories

Fixtures

End Cap




Profile Dimensions

	Width	Height	Length
Line Light 5532	55 mm	32 mm	Per Order
Line Light 7635	76 mm	35 mm	
Line Light 9035	90 mm	35 mm	

Material / Profile: Anodized Aluminum / Diffuser : PMMA

Products Code : Line Light 5575 / 10235



Line Light : Code 5575




Line Light : Code 10235

Light Sources	Power		Luminous		CCT		CRI
	Per Meter	Watt	Per Meter	Lumen	Color Temperature	Kalvin	Color Rendering Index
Mid-Power	12	Watt	1200	Lumen			
	24	Watt	2400	Lumen			
	36	Watt	3600	Lumen			
High-Power	24	Watt	2500	Lumen	3000	Kalvin	
	48	Watt	5000	Lumen	4000	Kalvin	> 80
	72	Watt	7500	Lumen	6000	Kalvin	
High-Efficiency	24	Watt	3500	Lumen			
	48	Watt	7000	Lumen			
	72	Watt	10500	Lumen			

Accessories	Fixtures	End Cap
Line Light 5575		
Line Light 10235		

Profile Dimensions	Width	Height	Length
Line Light 5575	55 mm	75 mm	Per Order
Line Light 10235	102 mm	35 mm	

Material / Profile: Anodized Aluminum / Diffuser : PMMA



Product Code : Line Light R60



Line Light : Code R60

Light Sources	Power		Luminous		CCT		CRI
	Per Meter		Per Meter		Color Temperature		Color Rendering Index
Mid-Power	12	Watt	1200	Lumen	3000	Kalvin	> 80
	24	Watt	2400	Lumen			
High-Power	24	Watt	2500	Lumen	4000	Kalvin	
	48	Watt	5000	Lumen			
High-Efficiency	24	Watt	3500	Lumen	6000	Kalvin	
	48	Watt	7000	Lumen			


Standards / CE / RoHS / GS / UL

Powered By :

Accessories	Fixtures	End Cap
Line Light R60		

Profile Dimensions	Width	Height	Length
Line Light R60	60 mm	60 mm	Per Order

Material / Profile: Anodized Aluminum / Diffuser : PMMA





Code : C1-11003



Code : C1-11030



Code : C1-11009




Code : C1-11004



Code : W2-8063-2



Code : C1-11027



Code : C1-12012




Code : C1-11011



Code : C2-11015-R



Code : W2-8064-2



Code : C2-11015-SQ



Code : W1-11020



Code : W1-12012



Code : W1-11024




Code : C2-4016-5




Code : C1-11052



Code : C1-11026-1



Code : C1-11026-2




Code : W2-12011



Code : C2-4017-5



Code : W2-12040




Code : C1-11011-R23



Code : W1-11023



Code : W2-8060



Code : W2-8086



Code : W2-4030



Code : W2-4031




Code : W2-4032




Code : W2-4033



Products Code : C1-11004 / C1-11027 / C1-11026-1 / C1-11026-2





Product Code : C1-11004



Product Code : C1-11027




Product Code : C1-11026-1





Product Code : C1-11026-2



Products Code : C1-11052 / C1-11003 / C1-11030 / C1-11009





Product Code : C1-11052



Product Code : C1-11003





Product Code : C1-11030




Product Code : C1-11009


Products Code : C1-11011-R23 / C1-11011-R38 / C1-12012



Product Code : C1-11011-R23





Product Code : C1-11011-R38



Product Code : C1-12012



i n v i s i b l e f r a m e s




Products Code : W2-8063-2 / W2-8064-2 / C2-4016-5 / C2-4017-5




Product Code : W2-8063-2




Product Codea W2-8064-2





Product Code : C2-4016-5





Product Code : C2-4017-5




Products Code : W2-8086 / W2-12011 / W1-11024 / W-11023





Product Code : W2-8086



Product Code : W2-12011




Product Code : W1-11024




Product Code : W1-11023




Products Code : W2-8060 / W2-12040 / C2-11015-R / C2-11015-SQ





Product Code : W2-8060



Product Code : W2-12040




Product Code : C2-11015-R




Product Code : C2-11015-SQ


Products Code : W2-4030 / W2-4031 / W2-4032 / W2-4033




Product Code : W2-4030




Product Code : W2-4031




Product Code : W2-4032





Product Code : W2-4033





Products Code : W1-11020 / W1-12012



Product Code : W1-11020



Product Code : W1-12012



Invisible Frames

Wide range of plaster frames which become part of ceiling or walls to bring attention only into architecture



Line & Design